09/752,744

L Number	Hits	Search Text	DB	Time stamp
1	14	multicast adj fail$6	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/10 17:25
2	110005	(primary or second$6 or redundan$4 or backup or back-up or mirror$4 or slave) near3 (server$ or stream or packet$ or receiver$ or multicast)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/10 15:33
3	135	((primary or second$6 or redundan$4 or backup or back-up or mirror$4 or slave) near3 (server$ or stream or packet$ or receiver$ or multicast)) with failover	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/10 14:38
4	18	multicast adj packet adj receiver$	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/10 14:39
5	0	(((primary or second$6 or redundan$4 or backup or back-up or mirror$4 or slave) near3 (server$ or stream or packet$ or receiver$ or multicast)) with failover) and (multicast adj packet adj receiver$)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/10 14:39
6	263	multicast adj2 packet$ adj2 receiv$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/10 14:39
7	1	(((primary or second$6 or redundan$4 or backup or back-up or mirror$4 or slave) near3 (server$ or stream or packet$ or receiver$ or multicast)) with failover) and (multicast adj2 packet$ adj2 receiv$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/10 14:41
8	20	((primary or second$6 or redundan$4 or backup or back-up or mirror$4 or slave) near3 (server$ or stream or packet$ or receiver$ or multicast)) same (multicast adj2 packet$ adj2 receiv$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/10 14:41
9	20	(((primary or second$6 or redundan$4 or backup or back-up or mirror$4 or slave) near3 (server$ or stream or packet$ or receiver$ or multicast)) same (multicast adj2 packet$ adj2 receiv$4)) not (multicast adj fail$6)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/10 14:41
10	8619	(primary or second$6 or redundan$4 or backup or back-up or mirror$4 or slave) adj2 server$	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/10 17:10

11	22101	(primary or second$6 or redundan$4 or backup or back-up or mirror$4 or slave) adj3 receiver$	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/10 17:10
12	464	(primary or second$6 or redundan$4 or backup or back-up or mirror$4 or slave) adj3 (multicast or multi-cast)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/10 17:21
13	3	((primary or second$6 or redundan$4 or backup or back-up or mirror$4 or slave) adj2 server$) and ((primary or second$6 or redundan$4 or backup or back-up or mirror$4 or slave) adj3 receiver$) and ((primary or second$6 or redundan$4 or backup or back-up or mirror$4 or slave) adj3 (multicast or multi-cast))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/10 15:37
14	104	(multicast or multi-cast) near2 fail$6	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/10 17:08
15	2879	synchroniz$6 near2 packet$	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/10 15:48
16	338	(insert$6 or add$6 or combin$6 or merg$6) near3 ((multicast or multi-cast)adj1 packet$)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/10 15:50
17	2	((primary or second$6 or redundan$4 or backup or back-up or mirror$4 or slave) adj2 server$) and ((primary or second$6 or redundan$4 or backup or back-up or mirror$4 or slave) adj3 (multicast or multi-cast)) and ((multicast or multi-cast) near2 fail$6)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/10 15:54
18	1	((primary or second$6 or redundan$4 or backup or back-up or mirror$4 or slave) adj2 server$) and ((primary or second$6 or redundan$4 or backup or back-up or mirror$4 or slave) adj3 (multicast or multi-cast)) and (synchroniz$6 near2 packet$)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/10 15:54

19	1	((primary or second$6 or redundan$4 or backup or back-up or mirror$4 or slave) adj2 server$) and ((primary or second$6 or redundan$4 or backup or back-up or mirror$4 or slave) adj3 (multicast or multi-cast)) and ((insert$6 or add$6 or combin$6 or merg$6) near3 ((multicast or multi-cast)adj1 packet$))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/10 15:54
20	2	((primary or second$6 or redundan$4 or backup or back-up or mirror$4 or slave) adj2 server$) and ((primary or second$6 or redundan$4 or backup or back-up or mirror$4 or slave) adj3 receiver$) and ((insert$6 or add$6 or combin$6 or merg$6) near3 ((multicast or multi-cast)adj1 packet$))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/10 15:55
21	9	((primary or second$6 or redundan$4 or backup or back-up or mirror$4 or slave) adj3 (multicast or multi-cast)) and ((primary or second$6 or redundan$4 or backup or back-up or mirror$4 or slave) adj3 receiver$) and ((insert$6 or add$6 or combin$6 or merg$6) near3 ((multicast or multi-cast)adj1 packet$))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/10 15:59
22	8	((primary or second$6 or redundan$4 or backup or back-up or mirror$4 or slave) adj3 (multicast or multi-cast)) and ((primary or second$6 or redundan$4 or backup or back-up or mirror$4 or slave) adj3 receiver$) and ((multicast or multi-cast) near2 fail$6)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/10 16:04
23	7	(((primary or second$6 or redundan$4 or backup or back-up or mirror$4 or slave) adj3 (multicast or multi-cast)) and ((primary or second$6 or redundan$4 or backup or back-up or mirror$4 or slave) adj3 receiver$) and ((multicast or multi-cast) near2 fail$6)) not (((primary or second$6 or redundan$4 or backup or back-up or mirror$4 or slave) adj2 server$) and ((primary or second$6 or redundan$4 or backup or back-up or mirror$4 or slave) adj3 receiver$) and ((insert$6 or add$6 or combin$6 or merg$6) near3 ((multicast or multi-cast)adj1 packet$)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/10 16:00
24	3	((primary or second$6 or redundan$4 or backup or back-up or mirror$4 or slave) adj3 (multicast or multi-cast)) and ((primary or second$6 or redundan$4 or backup or back-up or mirror$4 or slave) adj3 receiver$) and (synchroniz$6 near2 packet$)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/10 16:05

25	9	((primary or second$6 or redundan$4 or backup or back-up or mirror$4 or slave) adj3 (multicast or multi-cast)) and ((primary or second$6 or redundan$4 or backup or back-up or mirror$4 or slave) adj3 receiver$) and ((insert$6 or add$6 or combin$6 or merg$6) near3 ((multicast or multi-cast)adj1 packet$))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/10 16:06
26	0	(((primary or second$6 or redundan$4 or backup or back-up or mirror$4 or slave) adj3 (multicast or multi-cast)) and ((primary or second$6 or redundan$4 or backup or back-up or mirror$4 or slave) adj3 receiver$) and ((insert$6 or add$6 or combin$6 or merg$6) near3 ((multicast or multi-cast)adj1 packet$))) not (((((primary or second$6 or redundan$4 or backup or back-up or mirror$4 or slave) near3 (server$ or stream or packet$ or receiver$ or multicast)) same (multicast adj2 packet$ adj2 receiv$4)) not (multicast adj fail$6)) or (((primary or second$6 or redundan$4 or backup or back-up or mirror$4 or slave) adj2 server$) and ((primary or second$6 or redundan$4 or backup or back-up or mirror$4 or slave) adj3 receiver$) and ((insert$6 or add$6 or combin$6 or merg$6) near3 ((multicast or multi-cast)adj1 packet$))) or (((primary or second$6 or redundan$4 or backup or back-up or mirror$4 or slave) adj3 (multicast or multi-cast)) and ((primary or second$6 or redundan$4 or backup or back-up or mirror$4 or slave) adj3 receiver$) and ((insert$6 or add$6 or combin$6 or merg$6) near3 ((multicast or multi-cast)adj1 packet$))) or (((primary or second$6 or redundan$4 or backup or back-up or mirror$4 or slave) adj3 (multicast or multi-cast)) and ((primary or second$6 or redundan$4 or backup or back-up or mirror$4 or slave) adj3 receiver$) and ((multicast or multi-cast) near2 fail$6)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/10 16:43
27	722082	(detect$4 or track$4 or monitor$4) same (fail$6 or error$6 or problem or malfunct$4 or (adverse adj change) or abnormal)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/10 16:22
28	18	((detect$4 or track$4 or monitor$4) same (fail$6 or error$6 or problem or malfunct$4 or (adverse adj change) or abnormal)) same ((primary or second$6 or redundan$4 or backup or back-up or mirror$4 or slave) adj3 (multicast or multi-cast))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/10 16:27

29	11	((detect$4 or track$4 or monitor$4) same (fail$6 or error$6 or problem or malfunct$4 or (adverse adj change) or abnormal)) and ((primary or second$6 or redundan$4 or backup or back-up or mirror$4 or slave) adj2 server$) and ((primary or second$6 or redundan$4 or backup or back-up or mirror$4 or slave) adj3 (multicast or multi-cast))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/10 16:43

30		9	(((detect$4 or track$4 or monitor$4) same (fail$6 or error$6 or problem or malfunct$4 or (adverse adj change) or abnormal)) and ((primary or second$6 or redundan$4 or backup or back-up or mirror$4 or slave) adj2 server$) and ((primary or second$6 or redundan$4 or backup or back-up or mirror$4 or slave) adj3 (multicast or multi-cast))) not ((((primary or second$6 or redundan$4 or backup or back-up or mirror$4 or slave) near3 (server$ or stream or packet$ or receiver$ or multicast)) same (multicast adj2 packet$ adj2 receiv$4)) or ((((primary or second$6 or redundan$4 or backup or back-up or mirror$4 or slave) near3 (server$ or stream or packet$ or receiver$ or multicast)) same (multicast adj2 packet$ adj2 receiv$4)) not (multicast adj fail$6)) or (((primary or second$6 or redundan$4 or backup or back-up or mirror$4 or slave) adj2 server$) and ((primary or second$6 or redundan$4 or backup or back-up or mirror$4 or slave) adj3 receiver$) and ((insert$6 or add$6 or combin$6 or merg$6) near3 ((multicast or multi-cast)adj1 packet$))) or (((primary or second$6 or redundan$4 or backup or back-up or mirror$4 or slave) adj3 (multicast or multi-cast)) and ((primary or second$6 or redundan$4 or backup or back-up or mirror$4 or slave) adj3 receiver$) and ((insert$6 or add$6 or combin$6 or merg$6) near3 ((multicast or multi-cast)adj1 packet$))) or (((primary or second$6 or redundan$4 or backup or back-up or mirror$4 or slave) adj3 (multicast or multi-cast)) and ((primary or second$6 or redundan$4 or backup or back-up or mirror$4 or slave) adj3 receiver$) and ((multicast or multi-cast) near2 fail$6)) or (((detect$4 or track$4 or monitor$4) same (fail$6 or error$6 or problem or malfunct$4 or (adverse adj change) or abnormal)) same ((primary or second$6 or redundan$4 or backup or back-up or mirror$4 or slave) adj3 (multicast or multi-cast))))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/10 17:11
31		15	primary adj (multicast or multi-cast)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/10 17:08

32	1	((primary or second$6 or redundan$4 or backup or back-up or mirror$4 or slave) adj2 server$) and (primary adj (multicast or multi-cast))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/10 17:10
33	3	((primary or second$6 or redundan$4 or backup or back-up or mirror$4 or slave) adj3 receiver$) and (primary adj (multicast or multi-cast))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/10 17:10
34	8	(primary adj (multicast or multi-cast)) not (((((primary or second$6 or redundan$4 or backup or back-up or mirror$4 or slave) near3 (server$ or stream or packet$ or receiver$ or multicast)) same (multicast adj2 packet$ adj2 receiv$4)) or ((((primary or second$6 or redundan$4 or backup or back-up or mirror$4 or slave) near3 (server$ or stream or packet$ or receiver$ or multicast)) same (multicast adj2 packet$ adj2 receiv$4)) not (multicast adj fail$6)) or (((primary or second$6 or redundan$4 or backup or back-up or mirror$4 or slave) adj2 server$) and ((primary or second$6 or redundan$4 or backup or back-up or mirror$4 or slave) adj3 receiver$) and ((insert$6 or add$6 or combin$6 or merg$6) near3 ((multicast or multi-cast)adj1 packet$))) or (((primary or second$6 or redundan$4 or backup or back-up or mirror$4 or slave) adj3 (multicast or multi-cast)) and ((primary or second$6 or redundan$4 or backup or back-up or mirror$4 or slave) adj3 receiver$) and ((insert$6 or add$6 or combin$6 or merg$6) near3 ((multicast or multi-cast)adj1 packet$))) or (((primary or second$6 or redundan$4 or backup or back-up or mirror$4 or slave) adj3 (multicast or multi-cast)) and ((primary or second$6 or redundan$4 or backup or back-up or mirror$4 or slave) adj3 receiver$) and ((multicast or multi-cast) near2 fail$6)) or (((detect$4 or track$4 or monitor$4) same (fail$6 or error$6 or problem or malfunct$4 or (adverse adj change) or abnormal)) same ((primary or second$6 or redundan$4 or backup or back-up or mirror$4 or slave) adj3 (multicast or multi-cast))))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/10 17:19

35	2	((primary adj (multicast or multi-cast)) not ((((primary or second$6 or redundan$4 or backup or back-up or mirror$4 or slave) near3 (server$ or stream or packet$ or receiver$ or multicast)) same (multicast adj2 packet$ adj2 receiv$4)) or (((primary or second$6 or redundan$4 or backup or back-up or mirror$4 or slave) near3 (server$ or stream or packet$ or receiver$ or multicast)) same (multicast adj2 packet$ adj2 receiv$4)) not (multicast adj fail$6)) or (((primary or second$6 or redundan$4 or backup or back-up or mirror$4 or slave) adj2 server$) and ((primary or second$6 or redundan$4 or backup or back-up or mirror$4 or slave) adj3 receiver$) and ((insert$6 or add$6 or combin$6 or merg$6) near3 ((multicast or multi-cast)adj1 packet$))) or (((primary or second$6 or redundan$4 or backup or back-up or mirror$4 or slave) adj3 (multicast or multi-cast)) and ((primary or second$6 or redundan$4 or backup or back-up or mirror$4 or slave) adj3 receiver$) and ((insert$6 or add$6 or combin$6 or merg$6) near3 ((multicast or multi-cast)adj1 packet$))) or (((primary or second$6 or redundan$4 or backup or back-up or mirror$4 or slave) adj3 (multicast or multi-cast)) and ((primary or second$6 or redundan$4 or backup or back-up or mirror$4 or slave) adj3 receiver$) and ((multicast or multi-cast) near2 fail$6)) or (((detect$4 or track$4 or monitor$4) same (fail$6 or error$6 or problem or malfunct$4 or (adverse adj change) or abnormal)) same ((primary or second$6 or redundan$4 or backup or back-up or mirror$4 or slave) adj3 (multicast or multi-cast))))) and ((detect$4 or track$4 or monitor$4) same (fail$6 or error$6 or problem or malfunct$4 or (adverse adj change) or abnormal))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/10 17:20
36	18	((detect$4 or track$4 or monitor$4) same (fail$6 or error$6 or problem or malfunct$4 or (adverse adj change) or abnormal)) same ((primary or second$6 or redundan$4 or backup or back-up or mirror$4 or slave) adj3 (multicast or multi-cast))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/10 17:23
37	161	(multicast adj2 packet$ adj2 receiv$4) and (370/$.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/10 17:28

38	7	(multicast adj2 packet$ adj2 receiv$4) and (714/$.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/10 17:28
39	27	(multicast adj2 packet$ adj2 receiv$4) and (71$/$.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/10 17:28
40	94	(multicast adj2 packet$ adj2 receiv$4) and (7$/$.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/10 17:29
41	218	((multicast adj2 packet$ adj2 receiv$4) and (370/$.ccls.)) or ((multicast adj2 packet$ adj2 receiv$4) and (714/$.ccls.)) or ((multicast adj2 packet$ adj2 receiv$4) and (71$/$.ccls.)) or ((multicast adj2 packet$ adj2 receiv$4) and (7$/$.ccls.))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/10 17:29
42	0	(((multicast adj2 packet$ adj2 receiv$4) and (370/$.ccls.)) or ((multicast adj2 packet$ adj2 receiv$4) and (714/$.ccls.)) or ((multicast adj2 packet$ adj2 receiv$4) and (71$/$.ccls.)) or ((multicast adj2 packet$ adj2 receiv$4) and (7$/$.ccls.))) and ((primary or second$6 or redundan$4 or backup or back-up or mirror$4 or slave) adj2 server$) and ((primary or second$6 or redundan$4 or backup or back-up or mirror$4 or slave) adj3 receiver$) and ((primary or second$6 or redundan$4 or backup or back-up or mirror$4 or slave) adj3 (multicast or multi-cast))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/10 17:29
43	1	(((multicast adj2 packet$ adj2 receiv$4) and (370/$.ccls.)) or ((multicast adj2 packet$ adj2 receiv$4) and (714/$.ccls.)) or ((multicast adj2 packet$ adj2 receiv$4) and (71$/$.ccls.)) or ((multicast adj2 packet$ adj2 receiv$4) and (7$/$.ccls.))) and ((primary or second$6 or redundan$4 or backup or back-up or mirror$4 or slave) adj2 server$) and ((primary or second$6 or redundan$4 or backup or back-up or mirror$4 or slave) adj3 receiver$)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/10 17:29

44	18	(((multicast adj2 packet$ adj2 receiv$4) and (370/$.ccls.)) or ((multicast adj2 packet$ adj2 receiv$4) and (714/$.ccls.)) or ((multicast adj2 packet$ adj2 receiv$4) and (71$/$.ccls.)) or ((multicast adj2 packet$ adj2 receiv$4) and (7$/$.ccls.))) and ((primary or second$6 or redundan$4 or backup or back-up or mirror$4 or slave) adj2 server$)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/10 17:29
45	22	(((multicast adj2 packet$ adj2 receiv$4) and (370/$.ccls.)) or ((multicast adj2 packet$ adj2 receiv$4) and (714/$.ccls.)) or ((multicast adj2 packet$ adj2 receiv$4) and (71$/$.ccls.)) or ((multicast adj2 packet$ adj2 receiv$4) and (7$/$.ccls.))) and ((primary or second$6 or redundan$4 or backup or back-up or mirror$4 or slave) adj3 receiver$)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/10 17:30
46	48	(((multicast adj2 packet$ adj2 receiv$4) and (370/$.ccls.)) or ((multicast adj2 packet$ adj2 receiv$4) and (714/$.ccls.)) or ((multicast adj2 packet$ adj2 receiv$4) and (71$/$.ccls.)) or ((multicast adj2 packet$ adj2 receiv$4) and (7$/$.ccls.))) and ((primary or second$6 or redundan$4 or backup or back-up or mirror$4 or slave) adj3 (multicast or multi-cast))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/10 17:30
47	77	((((multicast adj2 packet$ adj2 receiv$4) and (370/$.ccls.)) or ((multicast adj2 packet$ adj2 receiv$4) and (714/$.ccls.)) or ((multicast adj2 packet$ adj2 receiv$4) and (71$/$.ccls.)) or ((multicast adj2 packet$ adj2 receiv$4) and (7$/$.ccls.))) and ((primary or second$6 or redundan$4 or backup or back-up or mirror$4 or slave) adj2 server$)) or ((((multicast adj2 packet$ adj2 receiv$4) and (370/$.ccls.)) or ((multicast adj2 packet$ adj2 receiv$4) and (714/$.ccls.)) or ((multicast adj2 packet$ adj2 receiv$4) and (71$/$.ccls.)) or ((multicast adj2 packet$ adj2 receiv$4) and (7$/$.ccls.))) and ((primary or second$6 or redundan$4 or backup or back-up or mirror$4 or slave) adj3 receiver$)) or (((((multicast adj2 packet$ adj2 receiv$4) and (370/$.ccls.)) or ((multicast adj2 packet$ adj2 receiv$4) and (714/$.ccls.)) or ((multicast adj2 packet$ adj2 receiv$4) and (71$/$.ccls.)) or ((multicast adj2 packet$ adj2 receiv$4) and (7$/$.ccls.))) and ((primary or second$6 or redundan$4 or backup or back-up or mirror$4 or slave) adj3 (multicast or multi-cast)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/10 17:30

| 48 | | 0 | (((((multicast adj2 packet$ adj2 receiv$4) and (370/$.ccls.)) or ((multicast adj2 packet$ adj2 receiv$4) and (714/$.ccls.)) or ((multicast adj2 packet$ adj2 receiv$4) and (71$/$.ccls.)) or ((multicast adj2 packet$ adj2 receiv$4) and (7$/$.ccls.))) and ((primary or second$6 or redundan$4 or backup or back-up or mirror$4 or slave) adj2 server$)) or (((((multicast adj2 packet$ adj2 receiv$4) and (370/$.ccls.)) or ((multicast adj2 packet$ adj2 receiv$4) and (714/$.ccls.)) or ((multicast adj2 packet$ adj2 receiv$4) and (71$/$.ccls.)) or ((multicast adj2 packet$ adj2 receiv$4) and (7$/$.ccls.))) and ((primary or second$6 or redundan$4 or backup or back-up or mirror$4 or slave) adj3 receiver$)) or (((((multicast adj2 packet$ adj2 receiv$4) and (370/$.ccls.)) or ((multicast adj2 packet$ adj2 receiv$4) and (714/$.ccls.)) or ((multicast adj2 packet$ adj2 receiv$4) and (71$/$.ccls.)) or ((multicast adj2 packet$ adj2 receiv$4) and (7$/$.ccls.))) and ((primary or second$6 or redundan$4 or backup or back-up or mirror$4 or slave) adj3 (multicast or multi-cast)))) and ((multicast or multi-cast) near2 fail$6) and (synchroniz$6 near2 packet$) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/03/10 17:30 |

| 49 | | 4 | (((((multicast adj2 packet$ adj2 receiv$4) and (370/$.ccls.)) or ((multicast adj2 packet$ adj2 receiv$4) and (714/$.ccls.)) or ((multicast adj2 packet$ adj2 receiv$4) and (71$/$.ccls.)) or ((multicast adj2 packet$ adj2 receiv$4) and (7$/$.ccls.))) and ((primary or second$6 or redundan$4 or backup or back-up or mirror$4 or slave) adj2 server$)) or ((((multicast adj2 packet$ adj2 receiv$4) and (370/$.ccls.)) or ((multicast adj2 packet$ adj2 receiv$4) and (714/$.ccls.)) or ((multicast adj2 packet$ adj2 receiv$4) and (71$/$.ccls.)) or ((multicast adj2 packet$ adj2 receiv$4) and (7$/$.ccls.))) and ((primary or second$6 or redundan$4 or backup or back-up or mirror$4 or slave) adj3 receiver$)) or ((((multicast adj2 packet$ adj2 receiv$4) and (370/$.ccls.)) or ((multicast adj2 packet$ adj2 receiv$4) and (714/$.ccls.)) or ((multicast adj2 packet$ adj2 receiv$4) and (71$/$.ccls.)) or ((multicast adj2 packet$ adj2 receiv$4) and (7$/$.ccls.))) and ((primary or second$6 or redundan$4 or backup or back-up or mirror$4 or slave) adj3 (multicast or multi-cast)))) and ((multicast or multi-cast) near2 fail$6) and ((insert$6 or add$6 or combin$6 or merg$6) near3 ((multicast or multi-cast)adj1 packet$)) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/03/10 17:30 |